



Contact | Support
eglo.com/en/eglo-worldwide



General Information

Material number	20618701
EAN/UPC	9008606299256

Dimensions

Article Diameter (in mm/in)	1524
Height - ceiling to bottom of blade (in mm/in)	306
Canopy Diameter (in mm/in)	160

Fan

Motor Type	DC
Wattage	40
Operation Voltage	220-240V, 50Hz
Enclosure Colour	white matt
Enclosure Material	ABS
Blade Colour (1)	white
Blade Material	ABS, UV Resistant
Number of blades	3
Blade Adjustment Angle	Variable
Downrods optional	206882, 203376, 203375

Performance

1 (low) 2 3 4 5 6

Watts/Air Volume (1)	4.2	5.2	8.1	13.1	22.5	37
Turns per minute (1)	65	80	105	140	165	190
Air Movement m3/Hr (1)	4969	5841	7793	9703	12069	14526

Illuminant

Illuminant 1	Exclusive
Lamp socket 1	without lamp socket
Light adaptable	No

Controls

optional controllers	No
Battery Number	2
Battery Type	AAA; Alkali; LR03; 1,5V; Micro

Features

Function	remote control incl. control via remote control
----------	--

	
14526	0°
m³/h	



Contact | Support
eglo.com/en/eglo-worldwide



General Information

Material number	20618702
EAN/UPC	9008606299263

Dimensions

Article Diameter (in mm/in)	1524
Height - ceiling to bottom of blade (in mm/in)	306
Canopy Diameter (in mm/in)	160

Fan

Motor Type	DC
Wattage	40
Operation Voltage	220-240V, 50Hz
Enclosure Colour	black matt
Enclosure Material	ABS
Blade Colour (1)	black matt
Blade Material	ABS, UV Resistant
Number of blades	3
Blade Adjustment Angle	Variable
Downrods optional	206881, 202979, 202977

Performance

1 (low) 2 3 4 5 6

Watts/Air Volume (1)	4.2	5.2	8.1	13.1	22.5	37
Turns per minute (1)	65	80	105	140	165	190
Air Movement m3/Hr (1)	4969	5841	7793	9703	12069	14526

Illuminant

Illuminant 1	Exclusive
Lamp socket 1	without lamp socket
Light adaptable	No

Controls

optional controllers	No
Battery Number	2
Battery Type	AAA; Alkali; LR03; 1,5V; Micro

Features

Function	remote control incl. control via remote control
----------	--

	
14526	0°
m³/h	

20618801

KURRAWA



Contact | Support
eglo.com/en/eglo-worldwide



General Information

Material number	20618801
EAN/UPC	9008606299270

Dimensions

Article Diameter (in mm/in)	1524
Height - ceiling to bottom of blade (in mm/in)	306
Canopy Diameter (in mm/in)	160

Fan

Motor Type	DC
Wattage	40
Operation Voltage	220-240V, 50Hz
Enclosure Colour	white matt
Enclosure Material	ABS
Blade Colour (1)	white
Blade Material	ABS, UV Resistant
Number of blades	3
Blade Adjustment Angle	Variable
Downrods optional	206882, 203376, 203375

Performance

1 (low) 2 3 4 5 6

Watts/Air Volume (1)	4.2	5.2	8.1	13.1	22.5	37
Turns per minute (1)	65	80	105	140	165	190
Air Movement m3/Hr (1)	4969	5841	7793	9703	12069	14526

Illuminant

Illuminant type 1	LED
Illuminant 1	Inclusive
Lamp socket 1	LED
Watt 1	20
Light colour 1	TRICOLOUR
Kelvin 1	3000 / 4000 / 5000
Lumen each Lamp socket / Light source 1	2300
Bulb-Dimmable	Yes

Controls

optional controllers	No
Battery Number	2
Battery Type	AAA; Alkali; LR03; 1,5V; Micro

Features

Function	remote control incl. control via remote control
----------	--






14526
m³/h
0°
1 x 0 W



Contact | Support
eglo.com/en/eglo-worldwide



General Information

Material number	20618802
EAN/UPC	9008606299287

Dimensions

Article Diameter (in mm/in)	1524
Height - ceiling to bottom of blade (in mm/in)	306
Canopy Diameter (in mm/in)	160

Fan

Motor Type	DC
Wattage	40
Operation Voltage	220-240V, 50Hz
Enclosure Colour	black matt
Enclosure Material	ABS
Blade Colour (1)	black matt
Blade Material	ABS, UV Resistant
Number of blades	3
Blade Adjustment Angle	Variable
Downrods optional	206881, 202979, 202977

Performance

1 (low) 2 3 4 5 6

Watts/Air Volume (1)	4.2	5.2	8.1	13.1	22.5	37
Turns per minute (1)	65	80	105	140	165	190
Air Movement m3/Hr (1)	4969	5841	7793	9703	12069	14526

Illuminant

Illuminant type 1	LED
Illuminant 1	Inclusive
Lamp socket 1	LED
Watt 1	20
Light colour 1	TRICOLOUR
Kelvin 1	3000 / 4000 / 5000
Lumen each Lamp socket / Light source 1	2300
Bulb-Dimmable	Yes

Controls

optional controllers	No
Battery Number	2
Battery Type	AAA; Alkali; LR03; 1,5V; Micro

Features

Function	remote control incl. control via remote control
----------	--






14526
m³/h
0°
1 x 0 W

20618901

KURRAWA



Contact | Support
eglo.com/en/eglo-worldwide



General Information

Material number	20618901
EAN/UPC	9008606299294

Dimensions

Article Diameter (in mm/in)	1829
Height - ceiling to bottom of blade (in mm/in)	307
Canopy Diameter (in mm/in)	160

Fan

Motor Type	DC
Wattage	45
Operation Voltage	220-240V, 50Hz
Enclosure Colour	white matt
Enclosure Material	ABS
Blade Colour (1)	white
Blade Material	ABS, UV Resistant
Number of blades	3
Blade Adjustment Angle	Variable
Downrods optional	206882, 203376, 203375

Performance

- 1 (low)
- 2
- 3
- 4
- 5
- 6

Watts/Air Volume (1)	4	5.8	9.8	16.4	27.3	39.6
Turns per minute (1)	60	70	90	110	130	145
Air Movement m3/Hr (1)	6438	6708	9100	11206	13764	15558

Illuminant

Illuminant 1	Exclusive
Lamp socket 1	without lamp socket
Light adaptable	No

Controls

optional controllers	No
Battery Number	2
Battery Type	AAA; Alkali; LR03; 1,5V; Micro

Features

Function	remote control incl. control via remote control
----------	--

	
15558	0°
m³/h	

20618902

KURRAWA



Contact | Support
eglo.com/en/eglo-worldwide



General Information

Material number	20618902
EAN/UPC	9008606299300

Dimensions

Article Diameter (in mm/in)	1829
Height - ceiling to bottom of blade (in mm/in)	307
Canopy Diameter (in mm/in)	160

Fan

Motor Type	DC
Wattage	45
Operation Voltage	220-240V, 50Hz
Enclosure Colour	black matt
Enclosure Material	ABS
Blade Colour (1)	black matt
Blade Material	ABS, UV Resistant
Number of blades	3
Blade Adjustment Angle	Variable
Downrods optional	206881, 202979, 202977

Performance

1 (low) 2 3 4 5 6

Watts/Air Volume (1)	4	5.8	9.8	16.4	27.3	39.6
Turns per minute (1)	60	70	90	110	130	145
Air Movement m3/Hr (1)	6438	6708	9100	11206	13764	15558

Illuminant

Illuminant 1	Exclusive
Lamp socket 1	without lamp socket
Light adaptable	No

Controls

optional controllers	No
Battery Number	2
Battery Type	AAA; Alkali; LR03; 1,5V; Micro

Features

Function	remote control incl. control via remote control
----------	--

	
15558	0°
m³/h	

20619101
KURRAWA



Contact | Support
eglo.com/en/eglo-worldwide



General Information

Material number	20619101
EAN/UPC	9008606299317

Dimensions

Article Diameter (in mm/in)	1829
Height - ceiling to bottom of blade (in mm/in)	311
Canopy Diameter (in mm/in)	160

Fan

Motor Type	DC
Wattage	45
Operation Voltage	220-240V, 50Hz
Enclosure Colour	white matt
Enclosure Material	ABS
Blade Colour (1)	white
Blade Material	ABS, UV Resistant
Number of blades	3
Blade Adjustment Angle	Variable
Downrods optional	206882, 203376, 203375

Performance

1 (low) 2 3 4 5 6

Watts/Air Volume (1)	4	5.8	9.8	16.4	27.3	39.6
Turns per minute (1)	60	70	90	110	130	145
Air Movement m3/Hr (1)	6438	6708	9100	11206	13764	15558

Illuminant

Illuminant type 1	LED
Illuminant 1	Inclusive
Lamp socket 1	LED
Watt 1	20
Light colour 1	TRICOLOUR
Kelvin 1	3000 / 4000 / 5000
Lumen each Lamp socket / Light source 1	2300
Bulb-Dimmable	Yes

Controls

optional controllers	No
Battery Number	2
Battery Type	AAA; Alkali; LR03; 1,5V; Micro

Features

Function	remote control incl. control via remote control
----------	--



15558
m³/h

0°

1 x 0 W

20619102

KURRAWA



Contact | Support
eglo.com/en/eglo-worldwide



General Information

Material number	20619102
EAN/UPC	9008606299324

Dimensions

Article Diameter (in mm/in)	1829
Height - ceiling to bottom of blade (in mm/in)	311
Canopy Diameter (in mm/in)	160

Fan

Motor Type	DC
Wattage	45
Operation Voltage	220-240V, 50Hz
Enclosure Colour	black matt
Enclosure Material	ABS
Blade Colour (1)	black matt
Blade Material	ABS, UV Resistant
Number of blades	3
Blade Adjustment Angle	Variable
Downrods optional	206881, 202979, 202977

Performance

1 (low) 2 3 4 5 6

Watts/Air Volume (1)	4	5.8	9.8	16.4	27.3	39.6
Turns per minute (1)	60	70	90	110	130	145
Air Movement m3/Hr (1)	6438	6708	9100	11206	13764	15558

Illuminant

Illuminant type 1	LED
Illuminant 1	Inclusive
Lamp socket 1	LED
Watt 1	20
Light colour 1	TRICOLOUR
Kelvin 1	3000 / 4000 / 5000
Lumen each Lamp socket / Light source 1	2300
Bulb-Dimmable	Yes

Controls

optional controllers	No
Battery Number	2
Battery Type	AAA; Alkali; LR03; 1,5V; Micro

Features

Function	remote control incl. control via remote control
----------	--



15558
m³/h

0°

1 x 0 W