



Contact | Support
eglo.com/en/eglo-worldwide



General Information

Material number	20684707
EAN/UPC	9008606349821

Dimensions

Article Diameter (in mm/in)	1321
Article Height (in mm/in)	295
Height - ceiling to bottom of blade (in mm/in)	285
Canopy Diameter (in mm/in)	170

Fan

Motor Type	DC
Wattage	24
Operation Voltage	220-240V, 50Hz
Enclosure Colour	black matt
Enclosure Material	ABS, UV Resistant
Blade Colour (1)	new teak
Blade Material	ABS
Number of blades	3
Blade Adjustment Angle	16
Suitable for slopes up to	8

Downrods optional

206881, 202979, 202977

Performance

	1 (low)	2	3	4	5	6
Watts/Air Volume (1)	3.5	6.3	7.9	11.4	16.8	25.7
Turns per minute (1)	60	101	121	141	160	190
Air Movement m3/Hr (1)	3243	5794	7420	9262	10847	13280

Illuminant

Illuminant 1	Exclusive
Lamp socket 1	without lamp socket
Light adaptable	No

Controls

optional controllers	Yes, 206222, 205482
Battery Number	2
Battery Type	AAA; Alkali; LR03; 1,5V; Micro

Features

Function	remote control incl. timer natural breeze indoor and covered outdoor area 6 speeds
----------	--



13280

8°

m³/h

20684716

NOOSA



Contact | Support
eglo.com/en/eglo-worldwide



General Information

Material number
EAN/UPC

20684716
9008606349746

Dimensions

Article Diameter (in mm/in)	1321
Article Height (in mm/in)	295
Height - ceiling to bottom of blade (in mm/in)	285
Canopy Diameter (in mm/in)	170

Fan

Motor Type	DC
Wattage	24
Operation Voltage	220-240V, 50Hz
Enclosure Colour	white matt
Enclosure Material	ABS, UV Resistant
Blade Colour (1)	blackbutt
Blade Material	ABS
Number of blades	3
Blade Adjustment Angle	16
Suitable for slopes up to	8

Downrods optional

206882, 203376, 203375

Performance

	1 (low)	2	3	4	5	6
Watts/Air Volume (1)	3.5	6.3	7.9	11.4	16.8	25.7
Turns per minute (1)	60	101	121	141	160	190
Air Movement m3/Hr (1)	3243	5794	7420	9262	10847	13280

Illuminant

Illuminant 1	Exclusive
Lamp socket 1	without lamp socket
Light adaptable	No

Controls

optional controllers	Yes, 206222, 205482
Battery Number	2
Battery Type	AAA; Alkali; LR03; 1,5V; Micro

Features

Function	remote control incl. timer natural breeze indoor and covered outdoor area 6 speeds
----------	--



13280
m³/h



8°



Contact | Support
eglo.com/en/eglo-worldwide



General Information

Material number	20684807
EAN/UPC	9008606349838

Dimensions

Article Diameter (in mm/in)	1321
Article Height (in mm/in)	295
Height - ceiling to bottom of blade (in mm/in)	285
Canopy Diameter (in mm/in)	170

Fan

Motor Type	DC
Wattage	24
Operation Voltage	220-240V, 50Hz
Enclosure Colour	black matt
Enclosure Material	ABS, UV Resistant
Blade Colour (1)	new teak
Blade Material	ABS
Number of blades	3
Blade Adjustment Angle	16
Suitable for slopes up to	8

Downrods optional

206881, 202979, 202977

Performance

	1 (low)	2	3	4	5	6
Watts/Air Volume (1)	3.5	6.3	7.9	11.4	16.8	25.7
Turns per minute (1)	60	101	121	141	160	190
Air Movement m3/Hr (1)	3243	5794	7420	9262	10847	13280

Illuminant

Illuminant type 1	LED
Illuminant 1	Inclusive
Lamp socket 1	LED
Watt 1	18
Light colour 1	TRICOLOUR
Kelvin 1	3000 / 4000 / 5000
Lumen each Lamp socket / Light source 1	2011
Bulb-Dimmable	Yes

Controls

optional controllers	Yes, 206222, 205485
Battery Number	2
Battery Type	AAA; Alkali; LR03; 1,5V; Micro

Features

Function	remote control incl. 3-step CCT indoor and covered outdoor area 6 speeds
----------	---



13280
m³/h

8°

1 x 15 W



Contact | Support
eglo.com/en/eglo-worldwide



General Information

Material number	20684816
EAN/UPC	9008606349753

Dimensions

Article Diameter (in mm/in)	1321
Article Height (in mm/in)	295
Height - ceiling to bottom of blade (in mm/in)	285
Canopy Diameter (in mm/in)	170

Fan

Motor Type	DC
Wattage	24
Operation Voltage	220-240V, 50Hz
Enclosure Colour	white matt
Enclosure Material	ABS, UV Resistant
Blade Colour (1)	blackbutt
Blade Material	ABS
Number of blades	3
Blade Adjustment Angle	16
Suitable for slopes up to	8

Downrods optional

206882, 203376, 203375

Performance

	1 (low)	2	3	4	5	6
Watts/Air Volume (1)	3.5	6.3	7.9	11.4	16.8	25.7
Turns per minute (1)	60	101	121	141	160	190
Air Movement m3/Hr (1)	3243	5794	7420	9262	10847	13280

Illuminant

Illuminant type 1	LED
Illuminant 1	Inclusive
Lamp socket 1	LED
Watt 1	18
Light colour 1	TRICOLOUR
Kelvin 1	3000 / 4000 / 5000
Lumen each Lamp socket / Light source 1	2011
Bulb-Dimmable	Yes

Controls

optional controllers	Yes, 206222, 205485
Battery Number	2
Battery Type	AAA; Alkali; LR03; 1,5V; Micro

Features

Function	remote control incl. 3-step CCT indoor and covered outdoor area 6 speeds
----------	---





13280
m³/h

8°

1 x 15 W



Contact | Support
eglo.com/en/eglo-worldwide



General Information

Material number	20684907
EAN/UPC	9008606349845

Dimensions

Article Diameter (in mm/in)	1524
Article Height (in mm/in)	295
Height - ceiling to bottom of blade (in mm/in)	285
Canopy Diameter (in mm/in)	170

Fan

Motor Type	DC
Wattage	38
Operation Voltage	220-240V, 50Hz
Enclosure Colour	black matt
Enclosure Material	ABS, UV Resistant
Blade Colour (1)	new teak
Blade Material	ABS
Number of blades	3
Blade Adjustment Angle	16
Suitable for slopes up to	8

Downrods optional

206881, 202979, 202977

Performance

	1 (low)	2	3	4	5	6
Watts/Air Volume (1)	4.3	7.2	10.2	15.1	24.9	37.4
Turns per minute (1)	60	90	111	131	150	178
Air Movement m3/Hr (1)	3591	6032	7638	9526	10957	14346

Illuminant

Illuminant 1	Exclusive
Lamp socket 1	without lamp socket
Light adaptable	No

Controls

optional controllers	Yes, 206222, 205483
Battery Number	2
Battery Type	AAA; Alkali; LR03; 1,5V; Micro

Features

Function	remote control incl. timer natural breeze indoor and covered outdoor area 6 speeds
----------	--



14346

8°

m³/h



Contact | Support
eglo.com/en/eglo-worldwide



General Information

Material number	20684916
EAN/UPC	9008606349760

Dimensions

Article Diameter (in mm/in)	1524
Article Height (in mm/in)	295
Height - ceiling to bottom of blade (in mm/in)	285
Canopy Diameter (in mm/in)	170

Fan

Motor Type	DC
Wattage	38
Operation Voltage	220-240V, 50Hz
Enclosure Colour	white matt
Enclosure Material	ABS, UV Resistant
Blade Colour (1)	blackbutt
Blade Material	ABS
Number of blades	3
Blade Adjustment Angle	16
Suitable for slopes up to	8

Downrods optional

206882, 203376, 203375

Performance

	1 (low)	2	3	4	5	6
Watts/Air Volume (1)	4.3	7.2	10.2	15.1	24.9	37.4
Turns per minute (1)	60	90	111	131	150	178
Air Movement m3/Hr (1)	3591	6032	7638	9526	10957	14346

Illuminant

Illuminant 1	Exclusive
Lamp socket 1	without lamp socket
Light adaptable	No

Controls

optional controllers	Yes, 206222, 205483
Battery Number	2
Battery Type	AAA; Alkali; LR03; 1,5V; Micro

Features

Function	remote control incl. timer natural breeze indoor and covered outdoor area 6 speeds
----------	--



14346

8°

m³/h



Contact | Support
eglo.com/en/eglo-worldwide



General Information

Material number	20685107
EAN/UPC	9008606349852

Dimensions

Article Diameter (in mm/in)	1524
Article Height (in mm/in)	295
Height - ceiling to bottom of blade (in mm/in)	285
Canopy Diameter (in mm/in)	170

Fan

Motor Type	DC
Wattage	38
Operation Voltage	220-240V, 50Hz
Enclosure Colour	black matt
Enclosure Material	ABS, UV Resistant
Blade Colour (1)	new teak
Blade Material	ABS
Number of blades	3
Blade Adjustment Angle	16
Suitable for slopes up to	8

Downrods optional

206881, 202979, 202977

Performance

	1 (low)	2	3	4	5	6
Watts/Air Volume (1)	4.3	7.2	10.2	15.1	24.9	37.4
Turns per minute (1)	60	90	111	131	150	178
Air Movement m3/Hr (1)	3591	6032	7638	9526	10957	14346

Illuminant

Illuminant type 1	LED
Illuminant 1	Inclusive
Lamp socket 1	LED
Watt 1	18
Light colour 1	TRICOLOUR
Kelvin 1	3000 / 4000 / 5000
Lumen each Lamp socket / Light source 1	2011
Bulb-Dimmable	Yes

Controls

optional controllers	Yes, 206222, 205486
Battery Number	2
Battery Type	AAA; Alkali; LR03; 1,5V; Micro

Features

Function	remote control incl. 3-step CCT indoor and covered outdoor area 6 speeds
----------	---



14346
m³/h

8°

1 x 15 W



Contact | Support
eglo.com/en/eglo-worldwide



General Information

Material number	20685116
EAN/UPC	9008606349777

Dimensions

Article Diameter (in mm/in)	1524
Article Height (in mm/in)	295
Height - ceiling to bottom of blade (in mm/in)	285
Canopy Diameter (in mm/in)	170

Fan

Motor Type	DC
Wattage	38
Operation Voltage	220-240V, 50Hz
Enclosure Colour	white matt
Enclosure Material	ABS, UV Resistant
Blade Colour (1)	blackbutt
Blade Material	ABS
Number of blades	3
Blade Adjustment Angle	16
Suitable for slopes up to	8

Downrods optional

206882, 203376, 203375

Performance

	1 (low)	2	3	4	5	6
Watts/Air Volume (1)	4.3	7.2	10.2	15.1	24.9	37.4
Turns per minute (1)	60	90	111	131	150	178
Air Movement m3/Hr (1)	3591	6032	7638	9526	10957	14346

Illuminant

Illuminant type 1	LED
Illuminant 1	Inclusive
Lamp socket 1	LED
Watt 1	18
Light colour 1	TRICOLOUR
Kelvin 1	3000 / 4000 / 5000
Lumen each Lamp socket / Light source 1	2011
Bulb-Dimmable	Yes

Controls

optional controllers	Yes, 206222, 205486
Battery Number	2
Battery Type	AAA; Alkali; LR03; 1,5V; Micro

Features

Function	remote control incl. 3-step CCT indoor and covered outdoor area 6 speeds
----------	---



14346
m³/h

8°

1 x 15 W